



MATERIAL SAFETY DATA SHEET

[In accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Official Journal of the European Union No L.132 of 29.05.2015)]

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Trade name: **Paste Cynel-1**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Soft soldering manual and automatic

Uses advised against:

Not determined

1.3 Details of the supplier of the safety data sheet

Supplier: **Cynel-Unipress Sp z o.o.**

Address: ul. Białołęcka 231B, 03-253 Warszawa, Poland

Telephone/Fax number: +48 22 519 29 48/ 22 519 29 46

E-mail address : marketing@cynel.com.pl

1.4 Emergency telephone number

Emergency Phone # : 112

Section 2. Hazards identification

2.1 Classification of the substance or mixture

May cause an allergic skin reaction, Skin Sens 1 H317

2.2 Label elements

Hazard pictograms and signal words



WARNING

Substance name for labeling:

Contain rosin

Risk phrases:

May cause an allergic skin reaction

Safety phrases:

IF ON SKIN: Wash with plenty of water with soap.

If skin irritation or rash occurs: Get medical advice/attention

2.3 Other hazards

No information whether the mixture meets criteria for PBT or vPvB in accordance with Annex XIII of Regulation REACH.



MATERIAL SAFETY DATA SHEET

Section 3. Composition/Information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures:

Rosin:

Range of percentages: <30%
CAS number: 8050-09-7
EC number: 231-100-4
Registration number: 01-2119480418-32-XXXX
Classification acc. to 1272/2008/EC: Skin Sens 1 H317

Alcohols, C12-15

Range of percentages: <25%
CAS number: 68131-39-5
EC number: 500-195-7
Registration number: not applicable
Classification acc. to 1272/2008/EC: Acute Tox.4 H302; Aquatic Acute 1, H400

dimethylammonium chloride:

Range of percentages: <2%
CAS number: 506-59-2
EC number: 208-59-2

Registration number: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline

Classification acc. to 1272/2008/EC: Acute Tox.4 H302

Full text of each relevant H phrase is given in section 16.

Section 4. First aid measures

4.1 Description of first aid measures

Skin contact:

To remove contaminated clothing. Damaged skin rinse water with soap. Apply a sterile dressing. Consult with the doctor.

Eye contact:

If filings get into eyes, immediately wash out with plenty of water with the eyelid hold wide open, for at least 10-15 min. Remove any contact lenses. Obtain medical attention if necessary.



MATERIAL SAFETY DATA SHEET

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation: Take victim to fresh air and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Eye contact: may cause irritation, redness.

Skin contact: may cause redness, burning sensation, burns (during soldering)

After inhalation of fumes soldering: can cause irritation to the respiratory system, long exposure can cause asthma

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO₂, extinguishing powder, foam, water spray. Use extinguishing measures that are appropriate to the environment

Unsuitable extinguishing media: water jet – risk of the propagation of the flame

5.2 Special hazards arising from the substance or mixture

During combustion may release toxic gases, vapors, and fumes. Do not inhale combustion products – it can be dangerous for health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Self-contained breathing apparatus and protective clothing should be worn.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Use personal protective equipment.

6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify the appropriate emergency services.

6.3 Methods and material for containment and cleaning up

Pick it up mechanically. Treat collected material like a waste or reuse it.

6.4 Reference to other sections

Appropriate conduct with waste product – section 13

Appropriate personal protective equipment – section 8



MATERIAL SAFETY DATA SHEET

Section 7. Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Ensure adequate ventilation during the soldering process. Before break and after work wash carefully hands. Avoid contact with eyes and skin. Do not breathe fumes in the process of soldering. Unused containers keep tightly closed.

7.2 Including any incompatibilities

Keep only in original, tightly closed containers in dry and well-ventilated place. Store at temp. 5-20°C. An acceptable level of humidity 20-80%. Keep away from food and beverages. Keep away from strong oxidants, acids and bases.

7.3 Specific end uses

The identified uses mentioned listed in section 1.2

Section 8. Exposure controls/personal protection

8.1 Control parameters

Regulation of the Minister of Labour and Social Policy of 6 June 2014. On maximum permissible concentration and intensity of harmful factors in the work environment (Dz.U. 2014 poz. 817)

The lack of value NDS, NDSch, NDSP.

Please check also any national occupational exposure limit values in your country.

8.2 Exposure controls

Use the product in accordance with good occupational hygiene and safety practices. Ensure locally ventilation of every working place (the sucker over the releasing fumes place) and general ventilation.

When handlings do not eat, drink or smoke. Before break and after work carefully wash hands.

It is recommended to regularly change gloves and replace them immediately if appear any signs of damage or change in appearance (colour, elasticity, shape).

Eye/face protection - in case of risk of the eyes contamination or at high concentrations of fumes wear eye protection.

Respiratory protection - use respiratory protection in case of exceeding the limit values or inadequate ventilation.

Personal protective equipment must meet requirements of directive 89/686/CE. Employer is obliged to ensure equipment adequate to activities carried out, with quality demands, cleaning and maintenance.

Environmental exposure controls

Do not allow the product to contaminate ground water, sewage, waste water or soil.



MATERIAL SAFETY DATA SHEET

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

physical state:	solid
colour:	light brown
odour:	Wax/resin
threshold:	not determinate
melting point/freezing point:	23,0 – 27,0 °C
flash point:	> 200 °C
breakdown temperature:	> 170 °C
evaporation rate:	not determinate
vapour pressure (20 °C):	not applicable
density (20 °C):	0,870 – 0,880 g/cm ³
solubility:	not soluble in water
partition coefficient: n-octanol/water:	not determinate
viscosity (20 °C):	not applicable

9.2 Other safety information

No additional data

Section 10. Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is stable under normal conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Avoid extreme heat, flames and other sources of ignition

10.5 Incompatible materials

Oxidizing agents, acids

10.6 Hazardous decomposition products

Thermal decomposition depends largely on the conditions. A complex mixture can decompose to carbon monoxide, carbon dioxide.



MATERIAL SAFETY DATA SHEET

Section 11. Toxicological information

11.1 Information on toxicological effects

Rosin

LD50 (oral, rat) 2800 mg/kg

LD50 (skin, rat) > 2 000 mg/kg

Alcohols, C12-15

LD50 (oral, rat) 2000 mg/kg

Section 12. Ecological information

12.1 Toxicity

No specific toxicity test results for the mixture

Toxicity of component:

Rosin

LC50: 60,3 mg/l/96h (Brachydanio rerio)

EL50: > 100 mg/l/72h (Selenastrum capricornutum)

Alcohols, C12-15

EC50: 1400 µg/l/48h (Daphnia magna)

EC50: 0,7 mg/l/96h (Pseudokirchneriella subcapitata)

NOEC: 1 mg/l/96h (Pseudokirchneriella subcapitata)

NOEC 83 µg/l/21dni (Daphnia magna)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

This product has no influence on the global warming or the ozone layer depletion



MATERIAL SAFETY DATA SHEET

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods for the product: disposed of in accordance with applicable regulations. Do not remove with household waste. Residues stored in their original containers. Recycle or re-processed.

Disposal methods for used packing: recovery / recycling / elimination of packaging waste carried out in accordance with applicable regulations. Only completely emptied packaging can be recycled.

Section 14. Transport information

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packaging group

Not applicable

14.5 Environmental hazards

Mixture is not hazardous for environmental according to the criteria of the ADR

14.6 Special precautions for user

Not necessary

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Section 15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and



MATERIAL SAFETY DATA SHEET

Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Directive 1999/45/EC of the European Parliament and of the Council of 31 May 1999 concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.

Commission Regulation (EC) No 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures (Text with EEA relevance).

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with later changes (adaptation to technical and scientific progress 1-10 ATP)

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Proposal for harmonised classification and labelling, based on regulation (EC) No 1272/2008 (CLP Regulation), Annex VI, Part 2, 20 September 2012

Regulation of the Minister of Labour and Social Policy of 6 June 2014. On maximum permissible concentration and intensity of harmful factors in the work environment (Dz.U. 2014 poz. 817)

Royal Decree of 11 March 2002 on the protection of the health and safety of workers against the risks related to chemical agents at work (MB 14.3.2002, Ed 2; Erratum MB 26.6.2002, 2 Ed.)

Council Directive 91/689/EEC of 12 December 1991 on hazardous waste
Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives (Text with EEA relevance)

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), concluded in Geneva on 30 September 1957 (Dz. U. Nr 110, poz. 641).

15.2 Chemical Safety Assessment

There are no data on the safety assessment for chemical substances contained in the mixture

Section 16. Other information

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo proper workplace training.

Date of issue: 01.02.2013

Version: 2.0/EN

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations and acronyms

PBT Persistent, Bioaccumulative and Toxic substance

vPvB very Persistent, very Bioaccumulative substance

TWA Time Weighted Average

TLV Threshold Limit Value

PEL Permissible Exposure Limit

Skin Sens H317 May cause an allergic skin reaction

H400 Very toxic to aquatic life

H302 Harmful if swallowed.

Other data Classification of the substances on the basis of information from ECHA. Classification of mixture was performed on the basis of the data concerning the contents of dangerous components using calculation method based on the Regulation (EC) No 1272/2008 (CLP).